

Table S1

Valence and arousal summary statistics for COMPASS and IAPS images

	IAPS (Lang et al., 1999)	IAPS (Libkuman et al., 2007)	COMPASS
Valence ratings, <i>M</i> (<i>SD</i>)			
Negative	2.81 (0.59)	2.25 (0.72)	2.61 (1.79)
Neutral	5.15 (0.43)	4.31 (0.76)	5.34 (1.76)
Positive	7.20 (0.47)	6.10 (1.01)	6.66 (1.96)
Arousal ratings, <i>M</i> (<i>SD</i>)			
Negative	5.39 (0.76)	4.00 (0.85)	5.18 (2.70)
Neutral	3.53 (0.83)	2.66 (0.84)	3.48 (2.32)
Positive	5.27 (0.76)	4.04 (0.90)	4.57 (2.64)

Note. Descriptive statistics by affective category for Lang et al. (1999) and Libkuman et al. (2007) IAPS norms were originally reported by Grühn & Scheibe (2008). Descriptive statistics for Lang et al. (1999) are based on 168 negative, 168 neutral, and 168 positive images. Descriptive statistics for Libkuman et al. (2007) are based on 141 negative, 136 neutral, and 153 positive images. Descriptive statistics for COMPASS are based on 100 negative, 100 neutral, and 100 positive images.